- ' '			7	the following function is
001.	То	join two or more text strings into	one stri	ng which of the following function is
	ust	od III 1415 Except	(B)	Joint ()
	(A)		(D)	Concatenate ()
	(C)	Paste ()	(D)	Concurs
002	3376	at is full for of TCP?	, -11.	
002.	A 0		(B)	Transmission Control Protocol
	(A) (C)		(D)	Transfer Control Protocol
	, (C)	Transfer Control Panel		
003.	Mai	il Merge option is available in whi	ich of th	he following menu?
003.	(A)	Insert	(B)	View
	(C)	Tools	(D)	Format
. *- ;	(LE)			
004		બ્દ વચ્ચેનો ભેદ દર્શાવવા કયું વિરામચિક્ષ	ຕາງວາຍ	2
004.		그리다 그리다 그리고 얼마나 화장하는 그 없었다.	3.1	그 사람들이 있는 그 그를 마음을 하고 있다.
	(A)	એજનચિક્ષ	(B)	અલ્પવિરામ
los*. y	(C)	લઘુરેખા	(D)	લોપકચિહ્ન
45,60	A STATE OF			
005.	"મને	શિશુતણી ગમે સરળ સૃષ્ટિ સ્નેહ ભરી.	" – છંદ	ઓળખાવો.
[A 143.	(A)	પૃથ્વી છંદ	(B)	
1133	(C)	અનુષ્ટ્ય છંદ		સ્ત્રગ્ધરા છંદ
11/4	(0)			The And the line of
006.	Whic	ch of the following words is plura	1?	
	(A)	Index	(B)	Analysis
	(C)	Crisis	(D)	Criteria
007.	Choo	ose the grammatically correct sent	ence.	Department of the second
J.,	(A)	Both I and Mansukh don't like h		lms
	(B)	Both Mansukh and I don't like h		
1 2	-(C)	Both I and Mansukh doesn't like		
and the	(D)	Both Mansukh and I doesn't like		
- [7]	e di			mus.
008.	Choo	se the correct meaning of given p	roverh	"A watch at
	(A)	Time seems drag endlessly when	VOII're	waiting for something to happen.
	(B)	Time seems to pass by too quick! One should never watch a best	v wher	waiting for something to nappen.
	(C)	below the ver water a polling	not	그리 하다 그 아이들이 가게 있다. 중에 살아왔다면 그릇이 있는 그 그리고 하면하고 하는 아랫동안 .
	(D)	Watching a boiling pot reduce the	e lianta	
A Part			~ 11quid	is boiling temperature.

[2]

SI: 2023 - B]

	io.	10.		
	Gin,	Co,		Chr
	TU .		1	
000	10,	VS.	1/0.	
009		tanding Committee		:-1
	Municipal Corporation Act, 19.	49 shall be	ınder the Gujarat Pro	ovincial
	(11) I wo yours		and half years	
	(C) One and half year	(D) Three	vears	
010	Under the provisions of the			
	1949 no member of an essentia	Gujarat Provincial	Municipal Corporati	on Act,
	Commissioner or any other auth	- wind 1 - CC	out written permission	n of the
	himself from the duties thereof	with aut at 1	nis office, withdraw o	or absent
	to the Commissioner except in accepted by the Commissioner	case of illness or a	ccident or any other	r reason
	1	authorised officer.	or any other	Touson
	(A) 15 days' (C) Two months'		onth's	
	(e) Two months	(D) 45 day	'S'	
011.	As per the provisions of the	Guigrat Provincial	Marina and	
	1949, the commissioner may a	II any time he remov	wad from office best	La Ctata
~ .	dovernment for incapacity, mis	sconduct or neglect of	f duty and shall forth	arreith ha
	so removed if at a meeting of th	e Corporation not les	ss than of th	a whole
	member of councillors vote in f	avour of a resolution	requiring his remove	al.
	(A) 3/4 th (C) 2/3 rd	(B) 5/8 th		3
	(C) $2/3$ rd	(D) 1/3 rd	13,	
012.	Who shall have the power to exe	cute any contract rela	ting to acquisition or	dianogal
012.	of an immovable property on be			
	Gujarat Provincial Municipal C			
	(A) Commissioner	(B) Mayor		
	(C) Standing Committee	(D) Specia	l Committee	
	a dia			
013.	Any contract made contrary to t	he provisions of the	Gujarat Provincial M	lunicipal
	Corporation Act, 1949 is		nor	0
	(A) Is voidable at the discretion(B) Is voidable at the discretion	on of Standing Comn	nittee	
		oration.		
	A	ion irrespective of th	e fact that it is contra	ry to the
	(D) Binding upon the corporat provisions of the aforesaid	Act.	,	
		2.5		
14.	Under the Gujarat Provincial M	unicipal Corporation	Act, 1949, after giv	ving one
14.	month's prior notice to the resid	ents, the Commission	ver to permanently	logo the
	month's prior notice to the resid (A) Has, with the sanction of	the Corporation pow	e Corporation.	lose the
	(A) Has, with the sanction of whole or any part of a pub(B) Has absolute power to clo	the whole or any	part of a public stree	et vested
	(B) Has absolute power to clo	SC the		Coled
	in the Corporation.	of residents of affect	ed locality temporar	ily close
	May, with the permission the whole or part of a publication of the	ic street vested in Co	orporation.	8
	the whole or part of a public that with the sanction of the	e standing committee	power to permanen	tly close
	(D) Has with the sanction of the whole or any part of a pub	lic street vested in co	rporation,	** **
	J 1			

015	11 2	inv person is accomised in	I die amount	-	I Municipal Corporation Act, 1949, of compensation paid to him by the
-	COL	minissioner, he may prefe	er appear to		within a per-
	(A) (C)	, one			State Government,
	(C)	Judge, one month	(D	"	Judge, three months
016	A a *	or the manifest	- · · · · · · · · · · · · · · · · · · ·		Corporation Act, 1949
016.	the l	officer/servant of the Co list of persons qualified to correct, shall on convict	orporation kno to be enrolled as ion be punishe	wi s v	
	(A)	500 or with both.			upto six months or fine upto Rupees
	(B)	With imprisonment of 1000 or with both.	either descrip	tic	on upto 1 year or fine upto Rupees
	(C)	With imprisonment of 10,000 or with both.	either descrip	tio	on upto 3 years or fine upto Rupees
	(D)	With imprisonment of 6 500 or with both.	either descripti	ior	upto 3 months or fine upto Rupees
017.	Provi	appeal against any rateab ncial Municipal Corpora ccrual of the cause of cor	tion Act, 1949	be	x fixed or charged under the Gujarat e brought within days after
	(A)	Seven	(B)		Ten yeolishmeel
	(C)	Thirty	(D)		Fifteen Commerce (1)
018.	the St				nconsistent with the rules framed by vincial Municipal Corporation Act,
	(A)	Considered to be null an	d void in its e	nti	irety. In containing and the
561 o*		Declared as null and voi			
		grand the second se			o approval of the State Government.
ATT GO	(D) V	4	etion of Judge		of Civil Appellate Court as to which
) 19.	1976, a comes	it least once in	, from the dat relopment aut	e c	nning and Urban Development Act, on which a final development plan ority shall revise the development rey.
sulo 98		years 2 years	(B) (D)	1	10 years

SI: 2023 _ D 1

(0)	•		(3)			(Or		10,0
(O.,								
•			·Co.	.0	· · ·		.CV	7
						The state of the state of	The state of the s	
	020.	Under	the provisions of Any person who, we commences, under	the C			NO	
		1976,	Any person who, voiced under Sec 27	wheth	n Plar	nning and Urba	n Devoles	
		person	n commences, unde	ertakes an assiss	n ins	tance or at the	instance of any	Act,
10.0 51.0		or in	contravention of a	N37 a - 11.1 1		Tell all	y permission gr	anted
		grante	ed shall, on convict	ion be	:41-	Sucii	permission has the first offence	heen
400			I me windi may e	Kiend to Da 500	በበ/ 🎍	101	ne msi onence	.40
(O.,	THINK A	יוטו	Time winen may e	Ktend to Da 100	$\Omega \Omega I$		ar in the second	
		(C)	rine which may e	stend to De 250	$\Omega\Omega/$		ilasti razis (S	
	اد. سنو ارد	(D)	Fine which may e	xtend to Rs. 500	0/		of frame	
	021.	Aspe	r the provisions of	the Cut VI	D1		131	
	V-1.	1976	r the provisions of	the Gujarat Tov	vn Pla	inning and Urb	oan Developme	nt Act,
	est .	1770,	the development	ase of developme	on 18	and build	ings shall not	exceed
		in cas	se of development	of building	ent or	land, and	per square	meter
	A SELECTION OF THE SECOND	(A)	Rs. 50000, Rs. 15	or building.	(B)	Rs. 1,00,000,	D	B54 .
*		(C)	Rs. 25000, Rs. 10		(D)	Rs. 10,00,000,	KS. 50	
40	Margaretta (C.)		10	The second of the second	1712			40
0	022.	As p	er section 77 of th	e Gujarat Town	n Plai	nning and Urb	oan Develonme	ent Act
		19/6	, % of the	e amount of the	cost o	of infrastructui	re provided in t	he area
		adjac	ent to the area of the	ne scheme as is r	ieces	sary for the pur	rpose of and inc	cidental
		to the	scheme.	uhi (CH)	.)		(i)	
		(A)	10 %	M. E.	(B)	15 %	M	
	, - jā, - ya	(C)	20 %	thair sa andriad	(D)	25 %	30 A	e den
	022		. He is the state of	de di lenii di do	dans.	기 : 기가 이 전환 (1 기기 : 기		
	023.	Any	amount received	owards develop	ment	charge and fe	es collected ur	ider the
*		boo	isions of the Gujar	at Iown Plannin	ig and	l Urban Develo	opment Act, 19	76 shall
.0	1 -4	(A)	redited to a fund ca Development Ch					
		(B)	Consolidated Inf		注题的			
		(C)	Town Planning a		1 2	nt Baldinge	ं रिकारिक विकास	5
		(D)	Contingency Uti		opine		Profes	
			game, su	inzation i and				
	024.	Unc	ler the provisions	of the Gujarat	Towr	n Planning and	d Urban Devel	opment
		Act	, 1976, the Town P	lanning Officer	shall,	within a perio	d of f	rom the
		date	e of his appointmen	it, sub-divide the	e town	n planning sch	eme into a prel	iminary
	bii	sch	eme and a final sch	eme.				
2.		(A)		orden and	(B)			
		(C)	3 Months	trasa horawe	(D)	6 Months	Alfred Control	
200	025.	3371	ich of the followin	Compation 09	nnot	be supplied to t	the applicant as	per the
	025.	pro	CII DI I	T Cation	A CI	/UU.) (
		(A)	Information about	out the salary d	rawn	by the employ	ees under any	public
		(11)						
		· · (B)		arding the qualif	ication	n of any employ	yee / officer wo	rking in
			any public offic	e.	30.70	. Intellectual Pr	operty Diche	
	1 3 H	(C)	any public offic Information reg	arding Trade Sec	cret of	hlic Office pri	or to one year	r of 41
	1	(D) Any information	arding Trade Secon demanded from	MI Lr		smaller off	of the
•			incident.					40
X								
10,			4.0.			('0-		40.
10.			10.		i			
7								-

026		CISON, LICH SHEET THIS	emanded by the applica ormation shall be provide er the Right to Informat	ant is relating to life or liberty of any ded by the Public Information Officer tion Act. 2005.
		A) 36 Hours	(B)	24 Hours
grant	14	all a charle to a new a	(D)	48 Hours
			Frankling Co.	
027.	pr	o registration of Rea oposed to be develor	al Estate Project shall ped does not exceed	ulation and Development) Act, 2016, be required where the area of land 1000 square meters
	(A			200 square meters
hours	(C) 300 square meter	rs (D)	200 square meters
028.	app if sha	olication by a promothe authority fails to	oter to the Authority for grant the registration of the been registered on ex-	lopment) Act, 2016, after making an or registration of real estate project, or reject an application, the project xpiry of days from the date
- [13]	(A)	15 days	(B)	30 days
	(C)	45 days	(D)	60 days
an li Ledit s		, 2016 may Prefer appeal befo	ority under the Real Est ore the Central Advisor fore the Central Advis	
	(C)	Prefer appeal befo	ore the Real Estate App	pellate Tribunal
	(D)	Prefer revision bef	fore the Real Estate Ap	ppellate Tribunal
030.	Natio Man	onal Disaster Mar agement Act, 2005 s	nagement Authority shall consist of	constituted under the Disaster
	(A)	Chairperson and ot	ther members not exce	eeding fifteen
	(B)	Chairperson and ot	ther members not exce	eeding twelve
	(C)		ther members not exce	
rli sej	(D)	•	her members not exce	eeding nine.
031.	disast	shall be constituer situation or disas	ited for the purpose of	specialist response to a threatening Management Act, 2005.
11 12 12 1	(A)	National Institute of	of Disaster Manageme	ent
		National Disaster R		ON SHOOT OF STREET
idi In a	(C)	National Authority		to a notament (1)
		National Executive	Committee	S white man was the same of th
		Lyconine	Committee	
SI: 2023				

[7]

SI: 20	23 - B		[8]		[Contd
		Three Parallel lines	(U)	raranci arcs	
	(C)	Vertical Straight	(B) (D)	Concentric Circles Parallel arcs	
000.	Wha	t you cannot create from the		offset?	N. C. S.
050.					
	(C)	Alt + B	(D)	Ctrl + F4	
	(A)	ch of the following is not a Ctrl + P	keyboard sh		Ayre 2
049.	W/h:	oh acathic w		autout of Kild of School	alva alva
	(C)	7/11 15315 751J 18	(D)	8/11 10 10 10 Man M	(4)
Rutinu	(A)	5/11	iution K in u (B)	6/11	L 2 Hillings?
		opened. A, B and C dischart is the proportion of the so			
		ites and 10 minutes respect			
048.		e pipes A, B and C can f			
	a kilo	D 198 S LIE PROBLEM S		- Phosphorus	
Corners	(C)	33 years	(D)	38 years	33
9	(A)	14 years		19 years	38
047.	A 1at	ther said to his son, "I was a." If the father's age is 38 y	rears now, the	e son's age five years ba	ck was:
047	A C.	than gold to his son "T year	as old as you	are at the present at the	time of your
	(C)	35	(D)	37 3,1,3,	
	(A)		(B)	33 9 , 2, 4, 6, 37 3, 1, 3,	A
046.	Wha	t will be the next number ir	the series 13	3, 17, 19, 23, 29,	_?
19			New token	Lakelidoses and A.V.	To ano
	(A) (C)	South-East	(D)	South-West	
	West	North-East	(B)	North-West	O
3 4 5		tions are changed in the s	ame manner	tnen wnat will be the c	inconon ion
045.	İf So	outh-East becomes North	and South be	ecomes North-East and	lirection for
					all tha
	(C)	1, 3, 2, 4, 5	(D)	1, 2, 3, 5, 4	
622	(A)	5. 1, 2, 4, 3	(B)	4, 2, 1, 5, 3	Al .
	4. 5.	Room Switch on	or on high side	in the Court A dealine	4- 140
	3.	Lock			
	2.	Door	13		
U-1-1-	1.	Key		Muzsch - Leanning - Le	
044.	Arra	nge the words given below	in a meaning	ful sequence.	
	(C)	Shri Manoj Joshi	(D)	Sill Jaydeep =	8
	(A)	Shri S. S. Rathod	(B) (D)	Shri Satyendrashiri Shri Jaydeep Shah	
043.	Who	is the chairman of GMRC	(Gujarat Metr	o Rail Corporation). Shri Satyendrasinh Rath	od
			La Bun, 19	(m)?	
	(A) (C)	1920 1945	(D)	1967	
042.	The	Indian Red Cross Society w	as established (B)	1932	
0.42	The	Indian Pad Case Seciety W	os established	l in the year	

	051. The quantity of fine aggregate	required for 1 m ³ of M15 concrete is
	(A) $0.217 \mathrm{m}^3$	required for 1 m ² of M13 concrete is $(B) 0.434 \text{ m}^3$
· ·	(C) $0.868 \mathrm{m}^3$	(D) 1.512 m ³
		(D) 1.312 III
0	052. Which of the method is used to	o remove permanent hardness from water?
	(A) Boiling	(B) Using potassium permanganate
	(C) Zeolite process	(D) Ozone treatment
		(D) Ozone treatment
05	53. Which is not the coagulant use	d in the treatment of water?
	(A) Alum	(B) Copper sulphate
	(C) Ferric sulphate	(D) Sodium aluminate
		(2) Social aluminate
05	4. Which is not the process involv	ed in the self-purification of stream?
	(A) Dilution	(B) Sedimentation
	(C) Filtration	(D) Coagulation
	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	ALC 124 (2)
055	Read the following chemicals/g	as in relation of disinfection process of water
•		o oscioli in roje se se linear ostanom A Caro o
		noting to successful that $\Gamma_{Q(N)}$.
. 2		Sitava lo a coro ela al apolit de (8)
		occasività de la distributa de la composition (O)
	Which chemicals / gas are used	or disinfection of water?
• 10		(B) 1,2, and 4
	(A) 1, 2 and 3	(D) 1, 3 and 4
	(C) 2, 3, and 4	(D) 1,5 and 4
056.	The method used to determine th	
tawoi	(A) EDTA method	(B) Lime soda process
in sin	(C) Demineralization process	(D) Activated carbon method
057.	Which method uses anaerobic bac	teria for decomposing sewage?
	(A) Oxidation pond	(B) Activated sludge process
	(C) Septic tank	(D) Trickling filter
	**	
0 5 0	Which statement is not true in	the case of methods of construction project
058.	nlanning?	
	(A) Milestone chart is modified	version of bar charts.
2H1 . TE	DEDT amiented ne	twork diagrams in which successive events are
udi do.	Coined by arrows	
ized to	CDM corresponding the corrected	network diagrams in which each activity is
	represented by an arrow.	
	T. DEDT cost is the controlli	ng factor.
	(D) In PERT, cost is the cost	기다 모으 그리를 가장하는 것 하는 사람들이 되었다.

(D)

059.	Read the following sentences in	relation of e	vent and activi	ity and the	1.400
	1) Excavate trench				
	2) Prepare specifications	V. W.		g at U. U.	
4.15	3) Design completed				
	4) Pipe line laid		oza mila Con	and the roudy have	4-20
	Which option is true?				
13	(A) 1, 2 are events and 3, 4 are		40	Antos) (A)	
	(B) 1, 2 are activities and 3, 4		O's like a may med		
5	(C) 1, 3 are event and 2, 4 are	activities			
	(D) 1, 3 are activities and 2, 4	are events		100 6 4	Jak
	(७४ - न्यून विकिशेदन			mult	
060.	LST = Latest start time		Literagie	THE PARTY OF THE P	
3.00	LFT = Latest finish time				
• • • • •	EST = Earliest start time	ode at transfer	on John an old	Military Roll	
	EFT = Earliest finish time	in the province	THE CONTROL OF THE		
	Which is the correct expression	for total float	t?		
	(A) LFT – EST		LST - EST	manual first	
		(D)	EFT - LFT		20
	(C) EFT – EST		Vorsan Sativi	out de la company	1.7
63.	 (A) Total float is the excess of (B) Free float is the excess of a (C) Interfering float is the diffe (D) Interfering float is equal to Representative fraction (RF) of s (A) 1/50000 (C) 1/5000 Using RF 1/5000, the distance be 	trailable time trail event slacked long (B) (D)	e over the act en total float ack. 5 km is equal 1/500000 1/500	ivity time. and free float. to	. 75.00
	to be 500m. The distance between	n the same	point when m	easured with a	scale of
	RF 1/1000 will be	5			
	(4) 1000	(B)	100 m	10	44.75 x x
	(0)	(D)	10000 m		
	Color material someton (18)	(D)	10000 111	alsier(C. (A)	
64.	The details of excavation in a bu	ilding oon b	a obtained by	(C) Septice	
	(A) Plan				
olega		(B)	Elevation	CONTRACTOR OF THE STATE OF THE	90.5
	(C) Section	(D)	Foundation	plan	
65.	As per the Comprehensive I Ahmedabad Urban Developmen Gujarat Town Planning and Urcategory. (A) D1(5)	nt Authority ban Develor	y (constituted	d under sec.22 976) is categor	of the
	(0)				
	(C) D3(5)	$\mathbf{D}_{\mathbf{D}}$	D6(1)	1 Clares Live	

				1	[4
060	Which of Develop	of the following mean oment Control Regulation detached dwell:	s "Dwelling	- 2" under the Comprehensive	7 0
5(1)	(A) A	detached dwelling	16	The state of the s	
	(B) Sei	mi-detached building, ro	w house, tene	ential purpose. ement, used for residential or cottag	
	(C) Mu	dustry or pre-school purp	ose.	ded for residential or cottag	ge
4	ind	lividuals such as	d for habita	ntion of multiple families and/	or
	transfer toot	tage industry or pre-sch	and number	mosters, loughly and boarding	or
· Prn.	(D) Mu	ilti story five star hotels	located in m	etropoliton airias	
067.					
007.	Under the	e than 16.50	opment Con	trol Regulations, 2017, the building	nge
	with more	e than 16.50 meters and	less than and	trol Regulations, 2017, the building the desired in the soulding to 30 meters height fall un	der
		Category		and the state of t	
		Category	(B) (D)	H2 Category	
		3 - 3 ,	(D)	H4 Category	
068.	As per th	ne Comprehensive Dev	velopment C	Control Regulations, 2017, Buil	eta 💉
	Arca mean	· mail (The part of the	rich time . A	O.	10
-	(A) The	areas covered by a uni	it on within	a building including the cantilev	ered
.14. .5.15	port	tions, if any, but exce	ept the areas	s specifically excluded under t	hese
	regu	ilations.			
	(B) The	horizontal spatial limi	ts upto whic	ch a building may be permitted	to be
lo sus		structed on a plot.	1811971487HF	office of ordator, mail and	100
namid		as approved by the Co		combination of more than one	land/
			1 . 3	s including the cantilevered port	ione
				s, but except the areas specifi	
		uded under these regul		Tekomodók (Ú)	
					400
069.	Under the	Comprehensive Dev	elopment C	ontrol Regulations, 2017, which	ch of
- na3: 4	the follow	ing falls within the d	efinition of	"Low-rise building" (For building"	dings
	constructe	d in the jurisdiction of	GIDC Act)	·? しょうyeat i かる影響をつってい	
	(A) A bu	uilding having height	not more th	an 25 meters above the plot lev	el in
Houly		1 '1 1' ' otill	a		
Thirth M	(B) A bu	uilding having height	not more th	an 20 meters above the plot lev	/C1 III
OK W 20	(C) A bu	uilding having height	not more in	an 15 meters above the plot lev	, or in
	case	the building is on still	S. 4h.	on 12 meters above the plot le	vel in
	(D) A hu	uilding having height i	not more m	an 12 meters above the plot le	100°
	Once	the huilding is on sun	5.	기계기가 되었다. 기관 기계	10, 10
		A1722 Fr.		ermission of Mining, Quarrying period of validity is	g and
070	The fees fo	or Revalidation of Dev	velopment 1	ermission of Minnig, Quarrying period of validity isegulations, 2017?	under
070.	Brick Kiln	Operators before the	+ Control Re	egulations, 2017?	1
	the Compre	enensive Develor	(B)	KS. 500	7
	(Λ) KS. 3	000	(D)	Rs. 5000 at canada (3)	
	(C) Rs. 1	000 models in the		The state of the s	
	(0)	Tit tal 🛴 🦳 si Kale Azikira	YHAMAID.		S SECTION

071	1. 1	As per the safety requirem	ent for the buildir	ng height above 45 meters under the ations, 2017, a third party inspection report to the
		neck is manuatory and	the third party of	hall submit report to the
927		ommittee under Regulatio		Structural Safety Plan
		A) Structural Safety RepC) Building Safety Plan	oort (B)	Building Safety Report
	indiani.		annitati	A 1. A 150 M
072.	ca re	or the buildings list out inspections at apquirements and measures	ted in,	Development Control Regulations, the Chief Fire Officer (CFO) shall s, to ensure that the fire protection under construction are adequate and
	-	erational.	(D)	Cahadula 11
	· (A	for the control of the property of the first property of the p	(B)	Schedule 11
	(C) Schedule 1	(D)	Schedule 9
073.	wit	th application for obtain	ing/revising Dev nalgamation of bullopment Control	
5,22	(A)	Schedule 1B		Schedule 2A
	(C)	Schedule 2B	(D)	Schedule 3A
	10			good file harry to the
074.	The	e list of Building Specific	ation verified by	Competent Authority before issue of
		ntrol Regulations, 2017.	given in	of the Comprehensive Development
ZITE IT	(A)			Calcadala 9
i kililoru	(A) (C)	Schedule 9	and a reference of the first of the	Schedule 8 Schedule 10
	(C)	Schedule 9	(D)	Schedule 10
075.	Wh	ich is <u>not</u> correct in the o	case of measured	bearing?
apple fr	(A)	The whole circle bear magnetic north.	ing is always me	easured in clock wise direction from
jiddija J	(B)	The maximum numeri	cal value of quad	lrantal bearing is 90°.
	(C)	The quadrantal bearin ever in nearer.	g is measured f	rom magnetic north or south which
ntis.	(D)	The whole circle bearing direction from magnet	ng is can be meas ic north.	sured in clock wise or anti-clock wise
076.	Whic	ch of the sights are meas	ured on change	point in case of fly levelling?
•	(A)	Back sight		Fore sight
BBL BL	(C)	Intermediate sight	(B)	
Kianji		S. S		and Pole Sight
077.	The a	area of an irregular figur	e can be measur	red with the help of
181	(A)	Theodolite	(B)	Planimeter
	(C)	Dumpy level		
			(D).	Prismatic compass
SI: 202	3-R1	No. of the second secon	(*)	
			r 12 1	KIZIN THE STATE OF

0	 Which is the following is in the foll	between two corrough any point i	oresent a uniform slop ntours is termed as con is parallel to the line of	ntour interval. of steepest slope
07	79. A curve which consists of			CUIP
	79. A curve which consists of t centers to the different side	s of the common	of same or different r	adii having their
	(11) Reverse out ve		tangent is termed as	
. · · · · ·	(B) Compound curve			11.
	(C) Transition curve			
	(D) Simple circular curve	ा ्रीचुक्रिक्षण्या ।	s. Son proposed the sa	
080.	Which is the following inscircular curve? (A) Two theodolite method (B) Tacheometric method (C) Rankine method of tar (D) Plane table method	d	od is not used for	
081.	A simply supported beam har ratio of span to effective dep			Il be the limiting
	(A) 26	(B)	20	
	(C) 12.5 5 15 A	(D)	7	, ô
082.	A point on Mohr's circle report (A) Normal and shear stress (B) Principal stress and shear (C) Major and minor princition (D) Maximum shear and Principal stress and Principal stress (D) Maximum shear stress (D) Maximum	ar stress pal stress incipal stress	au legg din Gro. Helen Grons State Labour Frit v Grons State Helensia	avarbang langth
Maria de la compansión de	사용하고 그 본 경영을 하시고 있는 경영 교육 나를 다 다니고	ing anan I het	ween supports and o	Joennand length

An overhang beam AB is having span L between L/2 beyond support B. If a UDL 'w' is applied on a length L/2 on either side of 083. support B, the reaction at support A will be? wL/4

wL/2 (A)

(C) zero

084.

(D) wL

Term [EI . d^2y/dx^2] represents

- Bending moment (A)
- Shear force (B)
- Slope of bending moment diagram
- Maxima-minima condition for deflection (C) (D)

. 08	85.	Inte	rmediate vertical	stiffeners are prov	rided	in the plate girders to
		(A)	Eliminate web b	uckling	7121	Climinate IOCAL DUCKIES
		(C)	Transfer concen	trated load	(D)	Prevent excessive deflection
i fing	ile di e	In m	rostroggod a	aca e propriet	,	catagoria are tensioning is due to
08	6.	(A)	Crosp in start	e, the maximum I	OSS O	f stress in pre-tensioning is due to Shrinkage in concrete
3.		(A)	Creep in steel	er trought of the streets	(B)	
		(C)	Elastic shortenin	g in concrete	(D)	Creep in concrete
087	, 1	fak	rick is cut in such	n some that the w	idth c	of one end becomes half that of a full
. 007	b	rick	while the width	at the other end is	equa	al to the full width, then it is called as
		A)	Queen closer	at the other chara	(B)	King closer
		C)	Mitred closer		(D)	Bevelled closer
		-,			(-)	
088.	T	he e	lement provided to	o serve as protect	tive c	overing to the wall at its top is termed
	as			o ooz , o do proces		
700	(A	1)	Coping		(B)	Corbel
6,077	(C	1 1 1 1	Jamb	Be hardles golds	(D)	Threshold
			30	A Comment	(2)	A STATE OF THE STA
089.	W	hick	n is <u>not</u> a disadva	ntage of cement	conc	rete flooring?
	(A		The topping is da			2 4 1 1 2 7 7 7 1 1 1 1 1 1 1 1 1 1 1 1 1 1
	(B			the second of the second of the second of		ettlement of freshly laid base course
	CC		Work progress is			The part of the case of the ca
	(D	•	Floor is durable a		ruct	
20/10	ad Odi	pri)	W.erk	Maggiya mush	NO ED	विकास विविध्याणपुरस्य र विकास र
090.	W	hich	is not a type of p	pitched roof?	E. CHO	rauoloi รามม เอเซโซะ i cade
	(A)		Terraced roof	(1)	(B)	Gable roof
	(C)		ean to roof	T. (GI)	(D)	A SOLUTION OF THE PROPERTY OF
	(0)		can to roor		(D)	Mansard roof
091.	The	de	velonment of loss	l gwalling on th	en.	n a gazzinia Maraniana (h. 2014)
0,71.	ling	lake	ed lime nodules is	known ag	5 HHR	shed plastered surface due to residual
			fflorescence	A CONTRACTOR OF THE PARTY OF TH	(D)	Rate was immed
				A Contra	73 6	Bleeding
	(C)	В	listering		(D)	Segregation
092.	W/h	al.	C (1			
(,)	VVIII	ich (of the statement i	s <u>not</u> true in the	case	e of boring used for site exploration?
19 9/1/2	(A)		and augers are ge			
	(B)	W	ash boring canno	ot be used in cas	se of	boulders and rocks
	(C)	Pe	ercussion boring	is suitable for a	ll typ	es of soils, boulders and rocks
	(D)					g in soils and rock
		•				
093.	Whi	ch is	not a method o	f improving the	safe	bearing pressure of soils?
	(A)	Inc	creasing the dept	h of foundation	Baro	
	(B)	Co	mpostine 41	n or roundanon		Tustroncontinue (A)
	(C)	117	ompacting the so		· ; ;	Control (and the see of the
	1 14		atering the soil	diagrama.	Trun.	ich Stape enpording moi
	(D)	Gr	outing and chem	ical treatment	willib	D) Masign council
						그는 이 그리는 사람이 어떤 이번 생각 기계를 했었다. 그 그 이 이 사람이 없다는 그래요?

	094.	The	dimension of queen	closer in case	of noi	minal size of brick is?	
		(A)	Zuchi x Tuchi X 10	cm	(B)	20cm x 10cm x 5cm	
1.		(C)	10cm x 10cm.x 10	cm	(D)	20cm x 5cm x 5cm	
095. The damp proof course is measured in the unit							
	095. The damp proof course is measured in the unit (A) Square meter (B) Cubic meter						
		- S	Running meter				
	regional in the	(0)	Kummig meter		(D)	Can be measured in any unit	
096. Which is <u>not</u> required to prepare estimate of a construction project?							
		(A)	Drawings	propulo comm	(B)	Specification	
		` ′	Rates		(D)	Site investigation details	
						Site in the second seco	
09	7. F	Read 1	he following staten	nents			
1) When expenditure on a work exceeds or likely to exceeds the amount of							
administrative sanction by more than 5 %							
2) When the original sanctioned estimate is likely to exceed more than 5% due							
to changes in the quantity of material or rates.							
3) When there is material deviation from the original proposed even though the							
cost may be met from the sanctioned amount							
Which is true for the required condition for preparation of the revised estimate of							
a construction project?							
	(A)) 1	and 2 are true		(B)	1 and 3 are true	
	(C)		and 3 are true	• 1	(D)	1, 2 and 3 are true	
	(-)				` ,		
098. Which is not a type of estimate?							
020.			nth area estimate		(B)	Annual repair estimate	
					(D)	Supplementary estimate	
	, (C)	Ra	te estimate		(ש)	Supplementary estimate	
	-					and access aggregate in the case of	
099.	099. The correct ratio of cement, fine aggregate and coarse aggregate in the case of						
		2.5	crete is			1.150	
	(A)	1:1			(B)	1:1.5:3	
	(C)	1:2:	4		(D)	1:3:6	
					ŧ.	C.1. 1 holow	
100.	100. While preparing estimate for item of plastering, read rules of deduction as below						
No deduction is made for ends of heam, ratter etc.							
2) For small opening upto 0.5 sqm and not exceeding 3 sqm, no deduction is							
				7. 1			
For opening above 3 sam, deduction is made for both face of opening and							
jambs, soffits and sills are to be taken into account.							
	TTThio	hont	ion is correct?	30 CF 11 F 12 C	1		
	29 11			to the high of the	B) :	1 and 3 are correct	
			1 2 are correct	Figure 1985 to 1885 to	D)	1, 2 and 3 are correct	
	(C)	2 and	13 are correct				
				Benerott			

arati

. iialati

Mariu Culiaran

.. iiatat.in